2018 | Volume Volume - 1 - Issue Issue - 1

In this issue

Review Article

Open Access Review Article PTZAID:RAOA-1-103

The Biological Effects of Interleukin-6 and Their Clinical Applications in Autoimmune Diseases and Cancers

Published On: March 02, 2017 | Pages: 006 - 016

Author(s): Deng-Ho Yang*

Interleukin-6 (IL-6) is one of the pro-infl ammatory cytokines involved in pathogenesis of various autoimmune and chronic infl ammatory diseases. IL-6 through binding to its cellular receptor can transduce both classical- and trans-signaling pathways. ...

Abstract View Full Article View DOI: 10.17352/raoa.000003

Case Report

Open Access Case Report PTZAID:RAOA-1-107

Remission of Glucocorticoid-Resistant Polymyalgia Rheumatica achieved with Tocilizumab: 2 Case Reports

Published On: November 20, 2017 | Pages: 025 - 027

Author(s): Ayse Unal Enginar*

Polymyalgia rheumatica (PMR) is an idiopathic infl ammatory disease characterized by pain and stiffness around the shoulders,neck and hips. IL-6 is an important cytokine in the pathogenesis of the disease. ...

Abstract View Full Article View DOI: 10.17352/raoa.000007

Open Access Case Report PTZAID:RAOA-1-106

Idiopathic Intracranial Hypertension: Neuropsychiatric Systemic Lupus Erythematosus or Gonadotropinreleasing hormone agonist side effect?

Published On: July 04, 2017 | Pages: 023 - 024

Author(s): Ong Ping Seung*, Ng Yong Muh and Khor Chiew Gek

A 31-year-old systemic lupus erythematotus (SLE) patient presented with headache and blurring of vision. Prior to this, she received 2 doses of monthly triptorelin for endometriosis. On examination, she had bilateral sixth nerve paresis. ...

Abstract View | Full Article View | DOI: 10.17352/raoa.000006

Open Access Case Report PTZAID:RAOA-1-105

IgA Nephropathy Precedes the Onset of the Rheumatic Disease in a Female with Ankylosing Spondylitis

Published On: March 23, 2017 | Pages: 020 - 022

Author(s): Haider M Al Attia* and Mariano R Carballo

IgA nephropathy (known as Berger's disease) is the most common cause of glomerulonephritis. Its estimated prevalence between 25-50 cases per 100.000 individuals.Gross hematuria (40-50%) and microscopic hematuria (30-40%) are the most common fi ndings which can be related to upper respiratory tract or gastrointestinal infection. ...

Abstract View | Full Article View | DOI: 10.17352/raoa.000005

Open Access Case Report PTZAID:RAOA-1-104

Laryngeal Primary Amyloidosis: Differential Diagnosis of Localized Granulomatosis with Polyangiitis. Report of Two Cases

Published On: March 08, 2017 | Pages: 017 - 019

Author(s): Clarissa de Queiroz Pimentel, Luciana Depiere Lanzarin, Frederico Adão de Oliveira Santana, Rosa Maria Rodrigues Pereira, Maurício Levy-Neto and Samuel Katsuyuki Shinjo*

Primary laryngeal amyloidosis (PLA) and granulomatosis with polyangiitis (GPA) can present rarely with the isolated symptom of dyspnea and/or dysphonia, affecting exclusively the larynx. ...

Abstract View | Full Article View | DOI: 10.17352/raoa.000004

Open Access Case Report PTZAID:RAOA-1-101

Eosinophilic Fasciitis in a Patient with Hepatitis C Virus Infection: Coincidence or Association?

Published On: January 04, 2017 | Pages: 001 - 003

Author(s): Samuel Katsuyuki Shinjo* and Fernando Henrique Carlos de Souza

Eosinophilic fasciitis is a rare connective tissue disease characterized by symmetrical and painful swelling with a progressive induration and thickening of the skin and soft tissues. Its etiology is unknown, but possible causes or associated conditions include drugs, physical exercises, autoimmune diseases, neoplasia and infections. ...

Abstract View Full Article View DOI: 10.17352/raoa.000001

Short Communication

Open Access Short Communication PTZAID:RAOA-1-102

The Complexity of DNA Transcends Epigenetics

Published On: January 30, 2017 | Pages: 004 - 005

Author(s): Virginia L Naples and Bruce Rothschild*

Availability of new has afforded rheumatologists the opportunity to investigate molecular pathophysiology of joint disease techniques [1,2]. Attempts to relate DNA polymorphisms to disease activity or addresses one aspect susceptibility [3-5]. ...

Abstract View Full Article View DOI: 10.17352/raoa.000002